

## Application sheet

### Accreditation cards (Synaps XM)



Recommended product grade: XM230, XM300, XM450

## Application properties

Good stiffness.  
Tear resistant.  
Waterproof.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Cutting.  
Punch and attach strap.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Josephsonstraat 27, B-2640 Mortsel, Belgium, email: [marketing@synaps@agfa.com](mailto:marketing@synaps@agfa.com), tel. +32 3 4448 459 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet

### Baggage tags (Synaps XM)



Recommended product grade: XM135

## Application properties

Excellent writability (pencil, pens, ballpoint pens, markers, etc.)

Tear resistant

Weather resistant

No lamination required!!!

## Printing and finishing recommendations

Dry toner electrophotographic printing.

Die cutting.

- Use sharp hard steel blades with rounded inner corners.
- Avoid inside die-cuts less than or equal to 90 degrees.
- Keep retention points small and few.

## Application sheet

### Book covers (Synaps XM)



Recommended product grade: XM230

## Application properties

Good stiffness.  
Tear resistant.  
Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Scoring and book finishing via perfect binding book production technique  
Cutting.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps).  
This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Siquelstraat 27, B-2640 Aartsel, Belgium, email: [marketing@synaps.agfa.com](mailto:marketing@synaps.agfa.com), tel. +32 3 4448 459 for additional information.  
Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

**Application sheet**  
**Business cards (Synaps XM)**



Recommended product grade: XM230, XM300, XM450

**Application properties**

Good stiffness.  
Tear resistant.  
Waterproof/washable.

No lamination required!!!

**Printing and finishing recommendations**

Dry toner electro photographic printing.  
Cutting or die cutting.

*For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Septestraat 27, B-2640 Aartsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 448 453 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.*

## Application sheet Folded leaflets (Synaps XM)



Recommended product grade: XM135

## Application properties


Tear resistant. Waterproof/washable.	No lamination required!!!
---	---------------------------

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Scoring with perforation die to facilitate foldability.  
Folding and cutting.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert N.V., Septestraat 27, B-2640 Mortsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448 459 for additional information. Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert N.V., Belgium, or its affiliates.

## Application sheet Industrial signage (Synaps XM)



Recommended product grade: XM135, XM230, XM300, XM450

## Application properties

Excellent weatherability.  
Tear resistant.  
Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Signage finishing.

## Application sheet Instruction booklets (Synaps XM)



Recommended product grade: XM135, XM230, XM300, XM450

## Application properties

Good stiffness.

Tear resistant.

Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.

Cutting.

Fan booklet finishing.

**Application sheet**  
**Labels and tags (Synaps XM)**



Recommended product grade: XM135, XM230, XM300, XM450

**Application properties**

Good stiffness.  
 Tear resistant.  
 Waterproof.

No lamination required!!!

**Printing and finishing recommendations**

Dry toner electro photographic printing.  
 Die cutting.  
 Cutting.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Spoststraat 27, B-2640 Aartsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 448 459 for additional information. Agfa, the Agfa logo, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.



## Application sheet

### Meeting place cards (Synaps XM)



Recommended product grade: XM230, XM300, XM450

## Application properties

Good stiffness.  
Tear resistant.  
Washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Cutting or die cutting.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps).  
This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Sartestraat 27, B-2640 Aartsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 448 459 for additional information.  
Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet Menus (Synaps XM)



Recommended product grade: XM300, XM450

## Application properties

Good stiffness.  
Tear resistant.  
Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Scoring (for folded menus).  
Cutting.

**Application sheet**  
**Outdoor posters (Synaps XM)**



Recommended product grade: XM135, XM230, XM300, XM450

**Application properties**

Good stiffness.  
 Tear resistant.  
 Waterproof/washable.  
 Excellent weatherability.

No lamination required!!!

**Printing and finishing recommendations**

Dry toner electro photographic printing.  
 Cutting.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Septestraat 27, B-2640 Mortsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 448 459 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

**Application sheet**  
**Plant labels (Synaps XM)**



Recommended product grade: XM135, XM230, XM300, XM450

**Application properties**

Good stiffness.  
Tear resistant.  
Waterproof/washable.  
Excellent weatherability.

No lamination required!!!

**Printing and finishing recommendations**

Dry toner electro photographic printing.  
Die cutting.  
Cutting.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Septestraat 27, B-2640 Mortsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 448 959 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet Sport event bibs (Synaps XM)



## Application properties

Very robust.  
Tear resistant.  
Writable.  
Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Cutting.

*For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert N.V., Spelerslaan 27, B-2640 Aartsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448 459 for additional information. Agfa, the Agfa diamond logo, and Synaps are trademarks of Agfa-Gevaert N.V., Belgium, or its affiliates.*

## Application sheet Tab sheets (Synaps XM)



Recommended product grade: XM230, XM300, XM450

## Application properties

Good stiffness.  
Tear resistant.  
Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Die cutting.  
Cutting.

**Application sheet**  
**Touristic route planning labels (Synaps XM)**



Recommended product grade: XM135

**Application properties**

Excellent writability (pencil, pens, ballpoint pens, markers, etc.)  
 Tear resistant  
 Weather resistant  
 No lamination required!!!

**Printing and finishing recommendations**

- Dry toner electrophotographic printing.  
 Die cutting.
- Use sharp hard steel blades with rounded inner corners.
  - Avoid inside die-cuts less than or equal to 90 degrees.
  - Keep retention points small and few.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert N.V., Sepbestaan 27, B-2640 Aartsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 448 459 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert N.V. Belgium, or its affiliates.

## Application sheet

### Cycling race numbers (Synaps XM)



Recommended product grade: XM230

## Application properties

Very robust.  
Tear resistant.  
Writable.  
Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Die cutting or digital cutting (round corners and holes for safety pins).

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps).  
This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Sapostraat 27, B-2640 Aartsel, Belgium, email: [marketing@synaps.agfa.com](mailto:marketing@synaps.agfa.com), tel. +32 3 4448459 for additional information.  
Agfa, the Agfa diamond, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.



## Application sheet

### Windmill toy (Synaps XM)



Recommended product grade: XM230, XM300

## Application properties

Very robust.  
Personalization possible (e.g. for touristic purposes).  
Tear resistant. No lamination required!!!  
Waterproof/washable.

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Die cutting or laser cutting.  
Windmill assembling.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps).  
This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert N.V., Septestraat 27, B-2640 Mortsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 448 453 for additional information.  
Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert N.V., Belgium, or its affiliates.

**Application sheet**  
**Booth decoration (Synaps XM)**



Recommended product grade: XM230, XM300

**Application properties**

Very robust.  
Tear resistant.  
Waterproof/washable.

No lamination required!!!

**Printing and finishing recommendations**

Dry toner electro photographic printing.  
Cutting and finishing.

For more booth decoration information/ideas, see: <http://www.booi.nu/en/>

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert N.V., Sijpesteuwaert 27, B-2640 Mortsel, Belgium, email: [marketing@synaps.agfa.com](mailto:marketing@synaps.agfa.com), tel. +32 3 4448459 for additional information. Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert N.V., Belgium, or its affiliates.

## Application sheet

### Music scores (Synaps XM)



Recommended product grade: XM135, XM230, XM300

## Application properties

Very robust.  
Tear resistant.  
Writable.  
Waterproof/washable.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Cutting.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Sapoortstraat 27, B-2640 Aartsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448459 for additional information. Agfa, the Agfa logo, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet

### Writable plant labels (Synaps XM)



Recommended product grade: XM135, XM230, XM300, XM450

## Application properties

Good stiffness.	No lamination required!!!
Tear resistant.	Excellent writability.
Waterproof/washable.	
Excellent weatherability.	

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Die cutting.  
Cutting.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Septestraat 27, B-2640 Mortsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448459 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet

### Airline safety instruction cards (Synaps XM)



Recommended product grade: XM230, XM300

## Application properties

Tear resistant. Waterproof/washable.	No lamination required!!!
---	---------------------------

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Cutting or die cutting.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV K, Spoststraat 27, B-2640 Aartsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448459 for additional information. Agfa, the Agfa brand name, and Synaps are trademarks of Agfa-Gevaert NV K, Belgium, or its affiliates.

## Application sheet

### Atoma binding system books (Synaps XM)



Recommended product grade: XM135 (inner pages) / XM230, XM300, XM450 (covers)

## Application properties

Tear resistant.

No lamination required!!!

Good stiffness.

Waterproof/washable (ideal for workshop manuals, military manuals, kindergarten books, cookbooks,...)

Pages can be removed, added and changed from order without tearing.

## Printing and finishing recommendations


Dry toner electro photographic printing.

Cutting.

Atoma book binding/finishing.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Septestraat 27, B-2640 Mortsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448 459 for additional information. Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

**Application sheet**  
**Diploma's, certificates (Synaps XM)**



Recommended product grade: XM230, XM300

**Application properties**

Tear resistant. Waterproof/washable.	No lamination required!!!
---	---------------------------

**Printing and finishing recommendations**

Dry toner electro photographic printing. Cutting.
--

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Spiltestraat 27, B-2640 Mortsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 448 453 for additional information. Agfa, the Agfa round logo, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet

### Door hangers (Synaps XM)



Recommended product grade: XM230, XM300, XM450

## Application properties

Good stiffness.  
Tear resistant.  
Waterproof.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electrophotographic printing.  
Die cutting.

- Use sharp hard steel blades with rounded inner corners.
- Avoid inside die-cuts less than or equal to 90 degrees.
- Keep retention points small and few.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert N.V., Septestraat 27, B-2640 Mortsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 448 959 for additional information. Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert N.V. Belgium, or its affiliates.



**Application sheet**  
**Ruler gadgets (Synaps XM)**



Recommended product grade: XM300, XM450

**Application properties**

Good stiffness.  
 Tear resistant.  
 Waterproof.  
 Excellent dimensional stability!

No lamination required!!!

**Printing and finishing recommendations**

Dry toner electro photographic printing.  
 Cutting or die cutting.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Spontaanlaan 27, B-2640 Mortsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448 459 for additional information. Agfa, the Agfa monogram, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet

### Shopping cart advertising (Synaps XM)



Recommended product grade: XM230

## Application properties

Good stiffness.  
Tear resistant.  
Waterproof/washable.  
Excellent weatherability.

No lamination required!!!

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Die cutting.  
Cutting.

*For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Spoststraat 27, B-2640 Mortsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 444 459 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.*

## Application sheet

### Technical brochures (Synaps XM)



Recommended product grade: XM135

## Application properties

<p>Tear resistant. Waterproof/washable.</p>	<p>No lamination required!!! Excellent writability.</p>
---	---

## Printing and finishing recommendations

Dry toner electro photographic printing.  
Cutting and book finishing.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Spoststraat 27, B-2640 Aartsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448459 for additional information. Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

**Application sheet**  
**Shelf advertising (Synaps XM)**



Recommended product grade: XM230, XM300, XM450

**Application properties**

Good stiffness.	Waterproof/washable.
Tear resistant.	
Excellent dimensional stability.	

**Printing and finishing recommendations**

Dry toner electro photographic banner printing.  
Cutting.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert N.V., Sartielaan 27, B-2640 Mortsel, Belgium, email: [marketing@agfa.com](mailto:marketing@agfa.com), tel. +32 3 4448 453 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert N.V. Belgium, or its affiliates.

**Application sheet**  
**Wobblers (Synaps XM)**



Recommended product grade: XM230, XM300, XM450

**Application properties**

<p>Good stiffness.          Tear resistant.          Washable.</p>	<p>No lamination required!!!</p>
--	----------------------------------

**Printing and finishing recommendations**

- Dry toner electrophotographic printing.  
 Laser cutting.  
 Die cutting.
- Use sharp hard steel blades with rounded inner corners.
  - Avoid inside die-cuts less than or equal to 90 degrees.
  - Keep retention points small and few.

For additional information, please consult our "guidelines for printing and finishing" at [www.agfa.com/synaps](http://www.agfa.com/synaps).  
 This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Spoststraat 27, B-2640 Mortsel, Belgium, email: [marketing@synaps.agfa.com](mailto:marketing@synaps.agfa.com), tel. +32 3 4448 959 for additional information.  
 Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet

### Desk calendars (Synaps XM)



Recommended product grade: XM230, XM300

## Application properties

Good stiffness.  
Tear resistant.  
Washable.  
Excellent dimensional stability!

No lamination required!!!


## Printing and finishing recommendations

Dry toner electrophotographic printing.  
Die cutting (perforation for ruler included) and creasing.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps). This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Josephsonstraat 27, B-2640 Mortsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448 459 for additional information. Agfa, the Agfa rhombus, and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.

## Application sheet

### Desk flip charts (Synaps XM)



Recommended product grade: XM135, XM230, XM300, XM450

## Application properties

<p>Tear resistant.                  Excellent stiffness.                  Waterproof/washable.</p>	<p>No lamination required!!!</p>
--	----------------------------------

## Printing and finishing recommendations

Dry toner electro photographic printing.  
 Cutting.  
 Atoma, Spiral binding or Wire-O perforating.  
 Desk flip chart finishing.

For additional information, please consult our 'guidelines for printing and finishing' at [www.agfa.com/synaps](http://www.agfa.com/synaps).  
 This information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Please contact Agfa-Gevaert NV, Josephsonstraat 27, B-2640 Aartsel, Belgium, email: [marketing.synaps@agfa.com](mailto:marketing.synaps@agfa.com), tel. +32 3 4448 459 for additional information.  
 Agfa, the Agfa logo and Synaps are trademarks of Agfa-Gevaert NV, Belgium, or its affiliates.